

Sunoco Leaded Race Fuels

	Standard <input type="checkbox"/> Leaded	Supreme <input type="checkbox"/> Leaded	MO2X	HCR Plus	Maximal <input type="checkbox"/> Leaded
Specific Gravity	0.728	0.715	0.717	0.739	0.708
Antiknock Index (R+M)/2	110	112	112	114	116
RON, Research Octane	115	114	115	118	118
MON, Motor Octane	105	110	109	110	114
Reid Vapor Pressure	5.6	6.3	9.8	6.0	5.9
Distillation, JF					
Initial Boiling Point	100	98	92	102	103
10% Evaporation	179	170	122	181	170
50% Evaporation	222	219	208	217	217
90% Evaporation	248	232	229	226	232
Final Boiling Point	369	257	251	245	257
Leaded	Yes	Yes	Yes	Yes	Yes
Color	Purple	Blue	Green	Orange	Red
Oxygen, Wt. %	0.0	0.0	2.7%	0.0	0.0
Lbs./Gallon	6.06	5.95	5.97	6.15	5.88
Dielectric Constant	-0.1	-0.7	6.9	0.6	-0.9